



NOTE: PROVIDE BLOCKING UNDER ALL POSTS FROM ABOVE

PLUMBERS TO VERIFY GRAB BAR LOCATIONS TO ENSURE TRAP INFORMATION TO PROVIDE CONSTRUCTION FROM TO CONSTRUCTION

JACK SCHEDULE			
JACKS AND STUDS			
OPENING SIZE	ROOF ONLY	ROOF + 1 FLOOR	ROOF + 2 FLOORS
<b>EXTERIOR BEARING WALLS</b>			
UP TO 3'-0"	1 U + 1 S	1 U + 1 S	1 U + 1 S
3'-0" TO 3'-6"	1 U + 1 S	1 U + 1 S	1 U + 1 S
3'-6" TO 3'-9"	1 U + 1 S	1 U + 1 S	1 U + 1 S
3'-9" TO 4'-0"	1 U + 1 S	1 U + 1 S	1 U + 1 S
4'-0" TO 4'-6"	2 U + 1 S	2 U + 1 S	2 U + 1 S
4'-6" TO 4'-9"	2 U + 1 S	2 U + 1 S	2 U + 1 S
4'-9" TO 4'-12"	2 U + 1 S	2 U + 1 S	2 U + 1 S
<b>INTERIOR BEARING WALLS</b>			
UP TO 3'-0"	1 U + 1 S	1 U + 1 S	1 U + 1 S
3'-0" TO 3'-6"	1 U + 1 S	1 U + 1 S	1 U + 1 S
3'-6" TO 3'-9"	1 U + 1 S	1 U + 1 S	1 U + 1 S
3'-9" TO 4'-0"	1 U + 1 S	1 U + 1 S	1 U + 1 S
4'-0" TO 4'-6"	2 U + 1 S	2 U + 1 S	2 U + 1 S
4'-6" TO 4'-9"	2 U + 1 S	2 U + 1 S	2 U + 1 S
4'-9" TO 4'-12"	2 U + 1 S	2 U + 1 S	2 U + 1 S

- NOTES:**
- DO NOT SUPPORT WOOD DECK FROM ANY CANTILEVER FLOOR SYSTEM.
  - ALL HEADERS, POSTS, AND BEAMS TO BE VERIFIED WITH ALL SUBSTITUTIONS APPROVED BY MANUFACTURER.
  - ALL CONSTRUCTION MUST COMPLY WITH ALL APPLICABLE LOCAL AND STATE CODES FOR WIND BRACING PER CBO 1995 EDITION.
  - CONC. WALL SHALL HAVE 8 #4 @ 12" INTO CONC. & MAX 1" FROM CORNER. NO STRIPS SHALL BE PERMITTED.
  - BRICK LINTEL SCHEDULE.
  - UP TO 4'-0" 4 x 3 1/2" x 1/4 STL ANGLE 4'-1" TO 6'-0" 5 x 3 1/2" x 5/16 STL ANGLE 6'-1" TO 8'-0" 6 x 3 1/2" x 3/8 STL ANGLE REFER TO PLANS FIRST. PLANS OVER RIDE DUE TO DIFFERENT LOADING CONDITIONS.

FIRST FLOOR FRAMING PLAN  
SCALE 1/4" = 1'-0"

# EXAMPLE SET - DO NOT COPY

REVISIONS	
DRAWER DATE NOTES	DRAWER DATE NOTES
DRAWER DATE NOTES	DRAWER DATE NOTES

**VOGEL DRAFTING INC.**  
RESIDENTIAL DRAFTING SERVICES  
11410 FOREST WALK DR. SPOTSVILVANIA, VA 22553  
540-977-4121 PHONE - 540-977-8971 FAX  
WWW.VOGELDRAFTING.COM

EXAMPLE SET  
FIRST FLOOR FRAMING PLAN

NOTES: CLIENT: FILE NAME: DATE: DRAWER: SHEET **6.00**